Message

From: Minter, Douglas [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP

(FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=0C1A47CA3AE847E2B7B818DA4734D7FD-MINTER, DOUGLAS]

Sent: 8/13/2020 10:01:14 PM

To: Bennett, James [bennett.james@epa.gov]

Subject: FW: August 19th, Monthly National UIC Call - Request for Agenda items

Hi Jim: I know both Craig and Valois are looking forward to serving as instructors for the virtual training next month. I've asked for an update on next week's call.

I also wanted to let you know that our Dewey Burdock final permits deadline has slipped...likely into early September at this point.

We will do our best to manage this situation relative to the commitments Craig and Valois have made.

Thanks,

Douglas

From: Minter, Douglas

Subject: RE: August 19th, Monthly National UIC Call - Request for Agenda items

Hi Alanna: we are well and I trust you/your family is too.

I'd like an update on the UIC Inspector Training this fall from Region 3. I will reach out to Jim Bennett.

Douglas

From: Conley, Alanna <conley.alanna@epa.gov>

Sent: Thursday, August 13, 2020 3:54 PM

To: Ash, Christine Ash.Christine@epa.gov; UIC Conference Call Conference Call Conference Call Contacts@epa.gov
Cc: McEvoy, Molly Molly McEvoy, Molly McEvoy, Brown, Jamesr McEvoy, Pfeiffer, Tricia@epa.gov; Dermer, Michele McHing, Carrie@epa.gov; Gross, Ryan Gross.Ryan@epa.gov; Wehling, Carrie Wehling, Carrie@epa.gov; Ro WD-DG@epa.gov; Graves, Brian Graves.Brian@epa.gov; Ussery, lan Ussery, lan Mailto:Mai

Subject: August 19th, Monthly National UIC Call - Request for Agenda items

Hello everyone,

We trust all are well.

Next week will mark the next to last UIC call prior to ending FY20.

In preparation for Wednesday's call, please add agenda items to the list below by COB Tuesday. The final agenda will be provided Wednesday morning.

- National Permitting Oversight Policy update
- Round robin

Stay safe and be healthy. Talk with you soon.

Alanna Conley Chief, Groundwater, UIC and GIS Section EPA, Region 4 404-562-9768